Wiring Devices and Supplies

1998

Issued February 2000

MA335K(98)-1

Current Industrial Reports

(Formerly Series No. MA36K)

Information about the scope of the survey, methodology, explanation of terms and historical notes for this survey may be found in the introduction of the 1997 Manufacturing Profiles, issued August 1999.

Current data are released electronically on Internet for all individual surveys as they become available. Use: http://www.census.gov/econ/www/manumenu.html. Individual reports can be accessed by choosing "Current Industrial Reports (CIR's)," clicking on "Report Number Index;" from the "Industrial Products by Numeric Index," choose the survey of interest. Follow the menu to view the PDF file or to download the worksheet file (WK format) to your personal computer.

These data are also available through the U.S. Department of Commerce and STAT-USA Electronic Bulletin Board by subscription. To access, dial 202-482-3870 and follow the prompts to register. Also, you may call 202-482-1986 or 1-800-STAT-USA, for further information. The Internet address is: www.stat-usa.gov/.

NOTE: Data are now published on the new North American Industry Classification System (NAICS) basis and therefore are not always comparable to the old Standard Industrial Classification (SIC) code. For further information on NAICS, see www.census.gov/epcd/www/naics.html.

Summary of Findings

During 1998, manufacturers' shipments of wiring devices and supplies totaled \$9.9 billion, an increase of 1.9 percent from \$9.7 billion in 1997. Current-carrying wiring devices accounted for \$5.4 billion, an increase of 2.8 percent from \$5.3 billion in 1997, while the noncurrent-carrying wiring devices accounted for \$4.5 billion, an increase of 0.9 percent from \$4.4 billion in 1997. The 1998 shipments included lampholders, valued at \$193.9 million, down 0.17 percent from \$194.3 million in 1997; convenience and power outlets, valued at \$460.7 million, up 5.7 percent from \$435.8 million in 1997; switches, valued at \$1.8 billion, unchanged from 1997; metal contacts valued at \$226 million, an increase of 5.4 percent from \$214.4 million in 1997; wire connectors, valued at \$1.45 billion, down 0.84 percent from \$1.46 billion in 1997; other current-carrying wiring devices valued at \$1.3 billion, up 4.7 percent from \$1.2 billion in 1997; pole line and transmission hardware, valued at \$852.4 million, down 0.4 percent from \$855.7 million in 1997; electrical conduit and conduit fittings, valued at \$2.1 billion, down 2.6 percent from \$2.2 billion in 1997; and other noncurrent-carrying devices, valued at \$1.5 billion, up 7.3 percent from \$1.4 billion in 1997.

Address inquiries concerning these data to Investment Goods Industries Branch, Manufacturing and Construction Division (MCD), Washington, DC 20233-6900, or call Vance Davis, 301-457-4790.

For mail or fax copies of this publication, please contact the Information Services Center, MCD, Washington, DC 20233-6900, or call 301-457-4673.



U.S. Department of Commerce Economics and Statistics Administration U.S. Census Bureau



Table 1. Value of Shipments of Wiring Devices and Supplies by Class of Product: 1989 to 1998 [Millions of current dollars]

Product code	Product description	1998	1997	1996	1995	1994	1993	1992	1991	1990	1989
335931	Current-carrying wiring devices	5,448	5,300	4,836	4,772	4,422	4,087	4,154	3,939	3,858	4,031
3359311	Lampholders	194	194	193	201	211	210	197	215	230	240
3359313	Convenience and power outlets,										
	both general- and special-purpose,										
	excluding pin and sleeve type	461	r/ 436	375	364	341	314	332	309	287	301
3359315	Switches for electrical circuitry		r/ 1,775	1,612	1,623	1,526	1,474	1,424	1,310	1,349	1,377
3359317	Metal contacts precious and other	226	214	239	259	245	208	240	332	317	375
3359319	Wire connectors for electrical										
	circuitry	1,450	1,462	1,235	1,194	1,082	976	1,007	916	844	857
335931A	Other current-carrying wiring devices, including attachment plug caps, connector bodies, lightning arrestors, and pin and sleeve										
	convenience power outlets	1,277	1,219	1,182	1,130	1,018	904	953	858	830	884
335932	Noncurrent-carrying wiring devices	4,464	4,424	3,938	3,915	3,622	3,251	3,140	2,930	3,096	3,115
3359321	Pole line and transmission hardware	852	r/ 856	704	673	641	618	542	494	517	526
3359323	Electrical conduit and conduit										
	fittings	2,126	2,184	1,960	2,050	1,866	1,634	1,601	1,497	1,658	1,665
335932	Other noncurrent-carrying wiring										
	devices and supplies	1,485	1,384	1,274	1,192	1,116	999	998	940	922	925

 $[\]ensuremath{\mathrm{r/Revised}}$ by 5 percent or more from previously published data.

Table 2. Quantity and Value of Shipments of Wiring Devices and Supplies: 1998 and 1997 [Quantity in thousands of units. Value in thousands of dollars]

		No.		1998		1997				
Product code	Product description	of cos.		Quantity		Value		Quantity		Value
	Wiring devices and supplies	(X)		(X)		9,912,153		(X)		9,725,466
335931	Current-carrying wiring devices	(X)		(X)		5,448,024		(X)		5,301,420
3359311	Lampholders	27		519,136		193,960		507,153		194,296
0050011001	Incandescent:									
3359311004	Outlet box, threaded, medium base	4		17,496		10 279		18,281		19,934
3359311002	only, pull and keyless types Push through and pull types, all	4		17,490		19,278		10,201		19,934
3333311002	materials, threaded, medium base									
	only, excluding outlet box type									
	and socket interiors 1/	5		(D)		(D)		(D)		(D)
3359311006	Weatherproof, threaded, medium			(-)		(-)		(-)		(-)
	base only	6		3,655		3,929		3,578		3,839
3359311008	Candelabra base, all types	10	a/	17,615	b/	6,426		18,469		6,433
3359311011	Sign and fixture, medium base only	6		19,844		19,647		20,076		18,905
3359311012	All other incandescent, medium,									
	admedium, intermediate, lumiline,									
	miniature, including but not									
	limited to pin-type, cleat, hasp, and socket interiors sold seperately,									
	all bases 1/	14		132,621		77,307		153,132		83,726
	Fluorescent:			102,021		,,,,,,,,,,		100,102		00,120
3359311014	Bi-pin	8	a/	273,501	a/	36,180		244,568		32,758
3359311016	Slimline 2/	4		(D)		(D)		(D)		(D)
3359311018	Recessed double contact 2/	4		(D)		(D)		(D)		(D)
3359311021	All other fluorescent, including but									
	not limited to circline, panelescent									
	and starter holders 2/	5		48,286		24,196		42,998		21,398
3359311022	All other lampholders, including cold									
	cathode neon, and bases for quartz	6	b /	6,118	. /	6,997		6,051		7,303
	lamps	O	b/	0,116	a/	0,997		0,031		7,303
3359313	Convenience and power outlets, both									
0000010	general- and special-purpose, excluding									
	pin and sleeve type	13		286,168		460,683	r/	270,128	r/	435,830
3359313002	Receptacles with GFIC (all types, all									
	amperages)	5	a/	30,120		183,152	r/	29,085	r/	175,564
	Receptacles without GFIC:									
3359313004	2-pole, 2-wire (flush, all types) 3/	5		(D)		(D)		(D)		(D)
0070010000	2-pole, 3-wire and up (flush):			(D)		(D)		(D)		(D)
3359313006 3359313008	Locking, 15 amperes and under 4/ Locking, 20 amperes and over 4/	4 6		(D) 89,373		(D) 69,799		(D) 89,643		(D) 64,319
3359313008	Nonlocking, 15 amperes and under	5		93,759		69,804		82,991		61.824
3359313011	Nonlocking, 20 amperes and over	7		28,760		54,272	r/	26,250	r/	49,060
3359313014	Appliance and special applications	-		,		,		,		,
	all amperages, all types	5	c/	26,363	b/	7,648		24,865		6,840
3359313016	All other types, including dust and									
	explosion proof, surface and 2-pole/									
	2-wire 3/	8	b/	17,793	a/	76,008	r/	17,294	r/	78,223
0050015		70		040.047		1 0 10 1 17	,	000 001	,	1 777 014
3359315	Switches for electrical circuitry	78		942,317		1,840,447	r/	960,391	r/	1,775,214
	General use flush-mounted switches, designed for mounting in switch or									
	outlet boxes (except dimmers):									
	Ac (except mercury):									
3359315102	Single pole, 15 amperes and under	9		86,097		67,386		84,173		63,879
3359315104	Single pole, over 15 amperes	6		10,424		27,337		9,354		24,673
3359315106	Other than single pole, including									
	but not limited to double pole									
	3-way, 4-way	7	a/	51,537		87,120	a/	47,345		80,291
3359315108	Ac-dc (except mercury) 5/	3		(D)		(D)		(D)		(D)
3359315111	All other general-use switches,									
	including surface-mounted, mercury, etc. 5/	8	b /	18,580	b /	21,402		16,578		23,926
	Special-purpose switches:	o	D/	10,560	D/	~1,4U£		10,376		20,320
3359315312	Appliance and fixture, including									
	pendant and canopy types and									
	variable speed controls	18	b /	102,118	a/	155,892		95,335		144,250
3359315314	Precision (1/8-inch gap or less)									
	snap-acting switches, excluding									
005001==-	limit switches	8	a/	89,655	b/	62,127		78,929		53,395
3359315616	Automotive types	9 34		(D) 366,735		(D) 870,220	r/	(D) 423,831	r/	(D)
3359315218	Automotive types	34		500,735		010,220	1/	460,001	1/	877,856

Table 2. Quantity and Value of Shipments of Wiring Devices and Supplies: 1998 and 1997 [Quantity in thousands of units. Value in thousands of dollars]

		No.		1998				1997		
Product code	Product description	of cos.		Quantity		Value		Quantity		Value
3359315321	All other special-purpose switches, including foot actuated, light									
	sensing, and signal actuated 6/ Dimmers: Incandescent:	29	b/	206,568	a/	429,749	a/	196,164		419,075
3359315422	Infinitely variable, 600 watts			~ 00.4	,	* 0 *0 0	• .		,	00.450
3359315424	or less Infinitely variable, over 600 watts	9	b/ a/	7,934 278	a/	50,590 14,687	b/ a/	6,697 263	a/ a/	38,453 11,817
3359315426	All other types, including but not limited to portable lamps and					ŕ				r
3359317	high-low switches Metal contacts, precious and other	8 14	a/	2,391 (S)	b/ a/	53,937 225,953	a/	1,722 (S)	b/r/	37,599 214,431
3359319	Wire connectors, including connectors used under national electrical					ŕ				
3359319002	application Pressure connectors, where pressure is applied by screw, cone, or other	64		44,117,075		1,450,003	r/	41,527,386	r/	1,462,218
3359319004	mechanical device	26		1,469,535	a/	193,079		1,362,303	r/	188,955
	terminals and splicers, tool installed	26	b/	4,611,750	b /	194,193	r/	4,448,323	r/	192,525
3359319006	Preinsulated terminals and splicers, tool installed	18		2,212,230		210,383	b/r/	2,327,648	r/	221,260
3359319008 3359319011	Banded or strip terminals and splicers, machine installed Pigtail connectors, including wire	12		6,027,351	a/	126,601	r/	7,865,038	a/r/	164,377
	nuts 7/	13		(D)		(D)		(D)		(D)
3359319012	Blade or pin type, separable termina- tions and splicers 7/	11		(D)		(D)		(D)		(D)
3359319014	Other wire connectors, n.e.c., including solder type 7/	31		29,796,209		725,747	r/	25,524,074	r/	695,101
335931A	Other current-carrying wiring devices, including attachment plug caps, contector bodies, lightning arrestors,									
	pin and sleeve convenience power outlets, etc	120		(X)		1,276,978		(X)		1,219,431
335931A002	2-pole, 2-wire, all types, general use locking and nonlocking, all amperages	13	a/	25,255		23,629		(S)		12,499
0070011001	2-pole, 3-wire and up:		α,			•	,			
335931A004 335931A006	Locking, 15 amperes and under Locking, 20 amperes and over	8 7		1,859 2,287		6,238 20,236	r/	1,822 2,203		6,361 18,543
335931A008	Nonlocking, 15 amperes and under 8/	10		(D)		(D)		(D)		(D)
335931A011	Nonlocking, 20 amperes and									
335931A012	over 8/ All other types (except pin and sleeve), including dust and	10		(D)		(D)		(D)		(D)
	explosion-proof, appliance and other special application 8/ Connector bodies and flanged outlets, all types:	8		54,451		104,624	r/	47,910	r/	95,744
335931A014	2-pole, 2-wire, all types, all amperages	6	b/	1,487	a/	1,439	b/r/	1,742	a/r/	1,666
335931A016	2-pole, 3-wire and up: Locking, 15 amperes and under	9		2,499		20,528		2,480		20,483
335931A018 335931A021	Locking, 20 amperes and over	9 10		1,208 5,336		17,309 20,014	/	1,154 5,049		16,794 19,740
335931A021 335931A022	Nonlocking, 15 amperes and under Nonlocking, 20 amperes and						r/			
335931A024	over 9/ All other types, excluding pin and sleeve, including dust and explosion-proof, appliance, and other special	8		(D)		(D)		(D)		(D)
	application 9/Pin and sleeve convenience and power outlets, attachment plug caps, and connector bodies:	7		36,172		41,866		35,910		39,209

Table 2. Quantity and Value of Shipments of Wiring Devices and Supplies: 1998 and 1997 [Quantity in thousands of units. Value in thousands of dollars]

		No. 1998				1997				
Product code	Product description	of cos.		Quantity		Value		Quantity	2007	Value
	Pin and sleeve, general-purpose (120 volts and over, 20 amperes and over):									
335931A026	Convenience and power outlets 10/	9		(D)		(D)		(D)		(D)
335931A028	Attachment plug caps	8		227		19,763		245		19,548
335931A031 335931A032	Connector bodiesAll other pin and sleeve, including	7		497		26,352		449		23,922
	dust and explosion-proof 20-									
335931A034	amperes types, etc. 10/ Fluorescent starters	6 7	b/ c/	1,115 8,915	c/	40,892 2,683		1,366 8,347		38,756 2,016
335931A036	Terminal blocks	21	a/	118,201	a/	130,209		124,480		123,021
335931A038	Lightning arrestors for alternating current power transmission systems and substations; U.S. designation,									
	station and intermediate, I.E.C. designation 10 kA and 5 kA Series A	6		(X)		30,885		(X)		29,372
335931A041	Lightning arrestors for alternating current power distribution systems and substations; U.S. designation, distribution and secondary I.E.C.	Ū		(A)		30,000		(A)		20,072
	designation 5 kA Series B, 2.5 kA			(V)		100 000		(V)		120.052
335931A042	and 1.5 kA Surge suppressors, designed for	4		(X)		129,803		(X)		139,953
	equipment operating on 110/120			~ n	,	100.000		~		400 740
335931A044	volt circuits Lightning rods	13 13		(X) (X)	c/ a/	123,622 50,713		(X) (X)	a/	122,716 50,929
335931A046	Electric harnesses and assemblies, excluding engine harnesses (from									
335931A051	purchased wire) Miscellaneous, including combination devices, adapters, current taps,	20		(X)		174,255		(X)	r/	151,998
	surface extensions, rosettes, choke coils, rail bonds, and overhead trolley line materials 11/	37		(X)	a/	291,918		(X)		286,161
	All other wiring devices with integral ground fault circuit interrupting capabilities, excluding circuit	37		(A)	a,	201,010		(A)		200,101
	breakers 11/	5		(D)		(D)		(D)		(D)
335932	Noncurrent-carrying wiring devices	(X)		(X)		4,464,129		(X)		4,424,046
3359321 3359321002	Pole and transmission line hardware Pole and transmission line construction materials, also known as overhead and underground line hardware for electric transmission, distribution,	35		(X)		852,352		(X)	r/	855,675
	and communication lines	27		(X)		714,178		(X)		699,680
3359321004 3359321006	Pole and transmission line anchors All other pole and transmission line	5		(X)		16,231		(X)		17,078
3339321000	hardware	12		(X)		121,943		(X)	r/	138,917
3359323	Electrical conduit and conduit fittings Rigid metal conduit, excluding couplings, nipples, bends, and	66		(X)		2,126,330		(X)		2,184,081
3359323102	elbows: Standard weights (steel) (short tons) 12/	6		(D)		(D)		(D)		(D)
3359323104	Other metallic conduit (short tons) 12/	2		281,102		269,667		280,126		279,613
3359323106	Nonmetallic conduit (1,000 lbs.)	5		755,764		263,729	a/	710,415	a/	306,322
3359323108 3359323111	Electrical metallic (short tons) Flexible steel and aluminum conduit	5		458,529		386,389		441,735		383,180
	(1,000 feet)	10	b/	262,885	b/	77,066		273,970	a/	80,666
3359323112	Flexible nonmetallic conduit (1,000 pounds)	10	b /	52,383		47,035		52,083		44,369
3359323114	Raceways and wire ways, including fittings, metal	10		(X)		194,248		(X)		198,848
3359323116 3359323118	Ventilated cable tray and accessories Cast conduit bodies, covers, and	6		(X)		61,301		(X)		68,280
	gaskets Rigid conduit fittings, including couplings, nipples, bends, and elbows:	8		(X)		133,193		(X)		124,957
3359323221	Couplings, connectors, and unions	16		(X)	b/	158,079		(X)	b/	156,867

Table 2. Quantity and Value of Shipments of Wiring Devices and Supplies: 1998 and 1997 [Quantity in thousands of units. Value in thousands of dollars]

Product	Product description	No. of	1998		19		1997	
code	·	cos.	Quantity		Value	Quantity		Value
3359323222	Locknuts and bushings	9	(X)	b/	16,434	(X)	b/	15,556
3359323224	All other rigid conduit fittings	7	(X)	b/	48,466	(X)	b/	53,106
3359323226	Nonmetallic conduit fittings	11	(X)		72,838	(X)		70,976
	EMT fittings (couplings and connectors):							
3359323228	Gland type	10	(X)	b/	33,004	(X)	a/	34,614
3359323231	Set-screw type	8	(X)	b/	30,637	(X)		30,554
3359323232	All others	8	(X)	b/	12,032	(X)	b/	11,264
3359323234	Service entrance caps, ells, and							
	connectors	10	(X)	a/	9,158	(X)		9,798
	Cable, cord, and flexible conduit fittings:							
3359323236	Armored cable, metallic sheathed							
	cable, and flexible conduit fittings	14	(X)	a/	186,088	(X)		184,769
3359323238	Liquid-tight flexible conduit fittings	10	(X)	c/	52,850	(X)		55,758
3359323241	Nonmetallic sheathed cable and					* *		
	cord fittings	12	(X)	b/	29,420	(X)	a/	29,219
3359323242	Other electric conduit fittings	14	(X)	a/	44,696	(X)	a/	45,365
3359325	Other noncurrent-carrying wiring devices							
	and supplies	72	(X)		1,485,447	(X)		1,384,290
	Stamped metal boxes, covers, and					* *		,
	accessories, including stamped							
	conduit boxes:							
3359325102	Switch and receptacle boxes	12	(X)		415.136	(X)		424.458
3359325204	Outlet boxes	7	(X)	b/	117,607	(X)		110,364
3359325206	Covers	9	(X)	b/	56,965	(X)		55,335
3359325208	Supports, bar hangers, and other		` '		,	()		,
	accessories	12	(X)	b/	66,351	(X)		65,094
	Cast metal boxes, covers, gaskets, and		` '		,	()		,
	accessories:							
3359325311	FS and FD switch and receptacle							
	type	9	(X)		26.936	(X)		27.509
3359325312	Outlet type	6	(X)		50,742	(X)		49.124
3359325314	Junction type	17	(X)		87,379	(X)		81,786
	Switch, outlet, FM/TV, and telephone		* *		,	* *		,
	wall plates:							
3359325316	Metallic	8	54,147		26,677	45,155		23,266
3359325318	Nonmetallic	9	295,627		71,610	275,899		65,791
3359325321	Plastic boxes and covers	15	(X)	a/	156,451	(X)		133,431
3359325322	Floor boxes and covers	7	(X)	b/	38,450	(X)		37,903
3359325324	Other noncurrent-carrying wiring		()		,	()		,
-	devices and supplies	32	(X)		371,143	(X)		310,229

D Withheld to avoid disclosing data for individual companies. n.e.c. Not elsewhere classified. r/Revised by 5 percent or more from previously published data. S Does not meet publication standards. X Not applicable.

- 1/Product code 3359311002 is combined with product code 3359311012 to avoid disclosing data for individual companies. 2/Product codes 3359311016 and 3359311018 are combined with product code 3359311021 to avoid disclosing data for individual companies.
 - 3/Product code 3359313004 is combined with product code 3359313016 to avoid disclosing data for individual companies.
 - $4/P roduct\ code\ 3359313006\ is\ combined\ with\ product\ code\ 3359313008\ to\ avoid\ disclosing\ data\ for\ individual\ companies.$
 - 5/Product code 3359315108 is combined with product code 3359315111 to avoid disclosing data for individual companies.
 - 6/Product code 3359315616 is combined with product code 3359315321 to avoid disclosing data for individual companies.
- 7/Product codes 3359319011 and 3359319012 are combined with product code 3359319014 to avoid disclosing data for individual companies.

 $8/Product\ codes\ 335931A008\ and\ 335931A011\ are\ combined\ with\ product\ code\ 335931A012\ to\ avoid\ disclosing\ data\ for\ individual\ companies.$

- 9/Product code 335931A022 is combined with product code 335931A024 to avoid disclosing data for individual companies.
- 10/Product code 335931A026 is combined with product code 335931A032 to avoid disclosing data for individual companies.
- $11/P roduct\ code\ 335931A048\ is\ combined\ with\ product\ code\ 335931A051\ to\ avoid\ disclosing\ data\ for\ individual\ companies.$
- 12/Product code 3359323102 is combined with product code 3359323104 to avoid disclosing data for individual companies.

Note: Percent of estimation of each item is indicated as follows: a/10 to 25 percent of this item is estimated. b/25 to 50 percent of this item is estimated. c/Over 50 percent of this item is estimated.

Table 3. Value of Shipments, Exports, and Imports of Selected Wiring Devices: 1998 and 1997 [Millions of dollars]

Product description	Manufacturers' shipments f.o.b. plant 1/	Exports of domestic merchandise at port 1/2/	Imports for consumption 1/3/
1998			
Lampholders Metal contacts	194.0 226.0	29.8 132.4	65.7 65.8
1997			
Lampholders Metal contacts	193.3 211.5	18.3 111.1	65.7 63.2

^{1/}For comparison of the North American Industry Classification System-based product codes with Schedule B export numbers and HTSUSA import numbers, see Table 4.

^{2/}Source: Census Bureau report EM 545, U.S. Exports.

^{3/}Source: Census Bureau report IM 145, U.S. Imports for Consumption.

Table 4. Comparison of the North American Industry Classification System-Based Product Codes with Schedule B Export Numbers and HTSUSA Import Numbers: 1998

Product code	Production description	Export number 1/	Import number 2/
3359311	Lampholders	8536.61.0000	8536.61.0000
3359317	Metal contacts	8538.90.7040	8538.90.7040
3359315102 3359315104 3359315106 3359315108 3359315111 3359315314 3359315312 3359315312 3359315218 3359315321	Switches, other than dimmers	*8536.50.8060 8535.30.0040	*8536.50.9065 *8535.30.0040
3359315422 3359315426 3359315426	Dimmer switches	*8533.39.0040	*8533.39.0040
3359319	Wire connectors	*8536.69.0060	*8536.69.8000
3359323	Conduit fittings	*8547.90.0020 *8547.90.0030 *8547.90.0040	*8547.90.0020 *8547.90.0030 *8547.90.0040

^{*} This code is partially correlated with the products described.

1/Source: 1998 edition, Harmonized System-Based Schedule B, Statistical Classification of Domestic and Foreign Commodities Exported for the United States.

2/Source: Harmonized Tariff Schedule of the United States, Annotated (1998).