Wiring Devices and Supplies

2000

Issued August 2001

MA335K(00)-1

Current Industrial Reports

Information about the scope of the survey, methodology, explanation of terms and historical notes for this survey may be found in the introduction of the 1998 Manufacturing Profiles, issued December 2000.

Current data are released electronically on Internet for all individual surveys as they become available. Use: http://www.census.gov/econ/www/manumenu.html. Individual reports can be accessed by choosing "Current Industrial Reports (CIR's)," clicking on "Report Number Index;" from the "Industrial Products by Numeric Index," choose the survey of interest. Follow the menu to view the PDF file or to download the worksheet file (WK format) to your personal computer.

These data are also available through the U.S. Department of Commerce and STAT-USA Electronic Bulletin Board by subscription. To access, dial 202-482-3870 and follow the prompts to register. Also, you may call 202-482-1986 or 1-800-STAT-USA, for further information. The Internet address is: www.stat-usa.gov/.

NOTE

Data are now published on the new North American Industry Classification System (NAICS) basis and therefore are not always comparable to the old Standard Industrial Classification (SIC) code. For further information on NAICS, see www.census.gov/epcd/www/naics.html.

SUMMARY OF FINDINGS

During 2000, manufacturers' shipments of wiring devices and supplies totaled \$9.9 billion, a decrease of 1.3 percent from \$10.1 billion in 1999. Current-carrying wiring devices accounted for \$5.3 billion, a decrease of 2.6 percent from \$5.4 billion in 1999, while the noncurrentcarrying wiring devices accounted for \$4.7 billion, a decrease of 2.6 percent in 1999. The 2000 shipments included lampholders, valued at \$152 million, down 4.4 percent from \$159 million in 1999; convenience and power outlets, valued at \$407 million, down 1.9 percent from \$415 million in 1999; switches, valued at \$1.7 billion, down 5.7 percent from \$1.8 billion in 1999; metal contacts valued at \$238 million, an increase of 8.5 percent from \$236 million in 1999; wire connectors, valued at \$1.5 billion, decreased 2.4 percent from \$1.52 billion in 1999; other current-carrying wiring devices valued at \$1.3 billion, up 4.7 percent from \$1.317 billion in 1999; pole line and transmission hardware, valued at \$940 million, down from \$958 million in 1999, a decrease of 1.9 percent; electrical conduit and conduit fittings, valued at \$2.308 billion, up 8.7 percent from \$2.306 billion in 1999; and other noncurrent-carrying devices, valued at \$1.4 billion, up 1.9 percent from \$1.39 billion in 1999.

Address inquiries concerning these data to Investment Goods Industries Branch, Manufacturing and Construction Division (MCD), Washington, DC 20233-6900. or call Vance Davis. 301-457-4790.

For mail or fax copies of this publication, please contact the Information Services Center, MCD, Washington, DC 20233-6900, or call 301-457-4673.





Table 1. Value of Shipments of Wiring Devices and Supplies by Class of Product: 1991 to 2000 [Millions of current dollars]

Product code	Product description	2000	1999	1998	1997	1996	1995	1994	1993	1992
335931	Current-carrying wiring devices	5,253	5,395	5,448	5,300	4,836	4,772	4,422	4,087	4,154
3359311	Lampholders	152	159	194	194	193	201	211	210	197
3359313	Convenience and power outlets, both general- and special-purpose, excluding									
	pin and sleeve type	407	415	461	436	375	364	341	314	332
3359315	Switches for electrical circuitry	1,653	1,752	1,840	1,775	1,612	1,623	1,526	1,474	1,424
3359317	Metal contacts precious and other	238	236	226	214	239	259	245	208	240
3359319	Wire connectors for electrical circuitry	1,481	1,517	1,450	1,462	1,235	1,194	1,082	976	1,007
335931A	Other current-carrying wiring devices, including attachment plug caps, connector bodies, lightning arrestors, and pin and sleeve convenience									
	power outlets	1,323	1,317	1,277	1,219	1,182	1,130	1,018	904	953
335932	Noncurrent-carrying wiring devices	4,672	4,660	4,464	4,424	3,938	3,915	3,622	3,251	3,140
3359321	Pole line and transmission hardware	940	958	852	856	704	673	641	618	542
3359323 3359325	Electrical conduit and conduit fittings Other noncurrent-carrying wiring	2,308	2,306	2,126	2,184	1,960	2,050	1,866	1,634	1,601
	devices and supplies	1,423	1,396	1,485	1,384	1,274	1,192	1,116	999	998

Table 2. Quantity and Value of Shipments of Wiring Devices and Supplies: 2000 and 1999 [Quantity in thousands of units. Value in thousands of dollars]

Duoduot	Duo duot do comintion	No.			2000)			199	9
Product code	Product description	of cos.		Quantity		Value		Quantity		Value
	Wiring devices and supplies	(X)		(X)		9,924,881		(X)		10,055,016
335931	Current-carrying wiring devices	(X)		(X)		5,253,264		(X)		5,395,297
3359311	Lampholders			393,369		151,770		418,911		158,755
0000011	Incandescent:	~-		000,000		101,		110,011		100,100
3359311002	Push through and pull types, all									
0000011002	materials, threaded, medium base									
	only, excluding outlet box type									
	and socket interiors 1/	5		(D)		(D)		(D)		(D)
3359311004	Outlet box, threaded, medium base			(-)		(-)		(-)		(-)
	only, pull and keyless types	4		15,238		16,113		16,051		17,227
3359311006	Weatherproof, threaded, medium			-,		-,		-,		
	base only	4		2,880		3,200		2,818		3,242
3359311008	Candelabra base, all types	5		7,012		4,208		10,088		4,372
3359311011	Sign and fixture, medium base only	5	c/	14,348	b /	10,076	r/	13,936	r/	10,120
3359311012	All other incandescent, medium,									
	admedium, intermediate, lumiline,									
	miniature, including but not limited									
	to pin-type, cleat, hasp, and socket									
	interiors sold separately, all									
	bases 1/	11		93,207		62,751	r/	107,504	r/	64,089
	Fluorescent:									
3359311014	Bi-pin	6		220,730		29,615		218,977		29,364
3359311016	Slimline 2/	4		(D)		(D)		(D)		(D)
3359311018	Recessed double contact 2/	4		(D)		(D)		(D)		(D)
3359311021	All other fluorescent, including but									
	not limited to circlene, panelescent									
	and starter holders 2/	5		35,507		18,568	r/	45,519	r/	23,884
3359311022	All other lampholders, including cold									
	cathode neon and bases for quartz									
	lamps	5		4,447		7,239	c/	4,018	b/r/	6,457
3359313	Convenience and power outlets, both									
	general- and special-purpose, excluding									
	pin and sleeve type	16		235,458		406,977		243,034		414,709
3359313002	Receptacles with GFIC (all types, all	_								
	amperages)	3		25,026		155,311	a/	24,993		158,535
	Receptacles without GFIC:			(T)		(T)		(T)		(T)
3359313004	2-pole, 2-wire (flush, all types) 3/	4		(D)		(D)		(D)		(D)
	2-pole, 3-wire and up (flush):	_		(T)		(T)		(T)		(-)
3359313006	Locking, 15 amperes and under 4/	3		(D)	,	(D)	,	(D)	,	(D)
3359313008	Locking, 20 amperes and over 4/	7		89,711	c/	74,930	r/	93,208	r/	74,571
3359313011	Nonlocking, 15 amperes and under	6		64,407		58,650		67,546		59,784
3359313012	Nonlocking, 20 amperes and over	7		34,912		62,136		33,559		60,012
3359313014	Appliance and special applications all amperages, all types	6		14,177	h/	5,808	m/	15,725	h /	6 905
3359313016	All other types, including dust and	O		14,177	b/	3,808	r/	13,723	b /	6,895
3333313010	explosion proof, surface and									
	2-pole/2-wire 3/	8		7,225		50,142	r/	8,003		54,912
	ε-poie/ ε-wife 3/	0		7,220		30,142	17	0,003		34,312
3359315	Switches for electrical circuitry	72		778,370		1,652,791	a/r/	857,792	a/	1,752,216
0000010	General use flush-mounted switches,	. ~		770,070		1,002,701	u/1/	007,702	α,	1,702,210
	designed for mounting in switch or									
	outlet boxes (except dimmers):									
	Ac (except mercury):									
3359315102	Single pole, 15 amperes and under	6		79,726		63,777		82,876		65,604
3359315104	Single pole, over 15 amperes	5		11,869		29,226		11,071	r/	27,245
3359315106	Other than single pole, including	_		,		,		,		,
	but not limited to double pole									
	3-way, 4-way	6		41,115		79,103	b /	43,029	b /	79,976
3359315108	Ac-dc (except mercury) 5/	3		(D)		(D)		(D)		(D)
3359315111	All other general use switches,			()		` '		` '		()
	including surface-mounted,									
	mercury, etc. 5/	5		10,658		11,794	b/r/	13,338	b/r/	16,768
	Special-purpose switches:	-		.,		,		-,		-,
3359315312	Appliance and fixture, including									
	pendant and canopy types and									
	variable speed controls	16		76,616		131,613	b/r/	104,147	b /	139,940
	-									

Table 2. Quantity and Value of Shipments of Wiring Devices and Supplies: 2000 and 1999 [Quantity in thousands of units. Value in thousands of dollars]

· ·										
Product	Product description	No. of			2000				199	9
code	Troduct description	cos.		Quantity		Value		Quantity		Value
3359315314	Precision (1/8-inch gap or less)									
3339313314	snap-acting switches, excluding									
	limit switches	6		77,185		38,669		78,357	a/	48,880
3359315616	Automotive types	9		(D)		(D)	a /m /	(D)	a /m /	(D)
3359315218 3359315321	Automotive typesAll other special-purpose switches,	25		295,600		722,603	a/r/	341,975	a/r/	831,172
0000010021	including foot actuated, light									
	sensing and signal actuated 6/	27		175,301		409,205	a/r/	173,798	a/r/	424,247
	Dimmers:									
3359315422	Incandescent: Infinitely variable, 600 watts or									
0000010122	less	6		7,143		73,174		6,568	a/	51,862
3359315424	Infinitely variable, over 600 watts	5		632		25,892	a/r/	542	r/	19,331
3359315426	All other types, including but not									
	limited to portable lamps and high-low switches	6		2,525		67,735	a/	2,091	b/r/	47,191
				•		,				
3359317	Metal contacts, precious and other	17		(S)		237,557		(S)	b/	235,763
3359319	Wire connectors, including connectors									
	used under national electrical application	71		41 995 G41		1 491 020	h/n/	20 922 702	0/	1,516,601
3359319002	Pressure connectors, where pressure	71	,	41,285,641		1,461,030	D/ I'/	39,833,703	a/	1,316,601
	is applied by screw, cone, or									
0070040004	mechanical device	23		1,302,387		188,506	b/r/	1,680,986	a/	231,278
3359319004	Compression connectors, uninsulated terminals and splicers, tool installed	28		4,176,641		222,025		4,320,248		199,330
3359319006	Preinsulated terminals and splicers,	20		4,170,041		222,020		4,020,240		100,000
	tool installed	19		1,849,925		151,161		2,199,732		213,707
3359319008	Banded or strip terminals and splicers,	1 ~	- /	0.000.004		00 140		0.000.000		04.000
3359319011	machine installed Pigtail connectors, including wire nuts 7/	15 13	a/	2,330,024 (D)		69,140 (D)		3,926,638 (D)		94,083 (D)
3359319012	Blade or pin type, separable terminations	10		(2)		(2)		(2)		(2)
	and splicers 7/	13		(D)		(D)		(D)		(D)
3359319014	Other wire connectors, n.e.c., including solder type 7/	36		31,626,664		850,198	2/r/	27,706,099	a/r/	778,203
	solder type 77	00		01,020,001		000,100	u, 1,	21,100,000	u / 1/	770,200
335931A	Other current-carrying wiring devices,									
	including attachment plug caps, connector bodies, lightening arrestors, pin and sleeve									
	convenience power outlets, etc	99		(X)		1,323,139		(X)	b/r/	1,317,253
	Attachment plug caps and flanged			()		,,		()		, , , , , , , , , , , , , , , , , , , ,
	outlets, including motor bases, all									
	types; including fused, fuseless, switch, and switchless:									
335931A002	2-pole, 2-wire, all types, general									
	use locking and nonlocking, all									
	amperages2-pole, 3-wire and up:	11		37,050		16,938	a/	18,391	a/	10,923
335931A004	Locking, all amperes	7		1,159		5,159		1,246	r/	5,133
335931A006	Locking, 20 amperes and over	7		2,568		22,872	r/	3,056		25,263
335931A007	Nonlocking, all amperes 8/	11		(D)		(D)		(D)		(D)
335931A012	All other types (except pin and sleeve), including dust and explosion-proof,									
	appliance and other special									
	application 8/	7	a/	15,055		66,669	r/	16,456	r/	56,127
	Connector bodies and flanged									
335931A014	outlets, all types: 2-pole, 2-wire, all types, all amperages	6	b /	1,262	a/	1,515	b /	1,324	a/	1,434
	2-pole, 3-wire and up:								-	
335931A016	Locking, 15 amperes and under	9		3,144		26,204		2,668		21,310
335931A018 335931A019	Locking, 20 amperes and over Nonlocking, all amperes	8 9		1,308 5,968		18,500 23,909		1,403 6,239		19,986 25,328
335931A024	All other types, except pin and sleeve,	J		0,000		20,000		5,200		20,020
	including dust and explosion-proof,									
	appliance, and other special application	7	c /	77,341	c /	88,351	r/	96,778	r/	109,805
	аррисасіон	,	C/	77,541	C/	55,551	1/	50,776	1/	100,000

Table 2. Quantity and Value of Shipments of Wiring Devices and Supplies: 2000 and 1999 [Quantity in thousands of units. Value in thousands of dollars]

· ·		No.			2000)			199	9
Product code	Product description	of cos.		Quantity		Value		Quantity		Value
	Pin and sleeve convenience and power outlets, attachment plug caps and connector bodies: Pin and sleeve, general-purpose (120 volts and over, 20 amperes									
335931A026	and over): Convenience and power outlets 9/	7		(D)		(D)		(D)		(D)
335931A028	Attachment plug caps	7		103		11,890		107		12,648
335931A031	Connector bodies	6		561		28,890		499		26,586
335931A032	All other pin and sleeve, including									
	dust and explosion proof 20-amperes types, etc. 9/	5	b /	800		27,916	b/r/	349	r/	28,585
335931A034	Fluorescent starters		c/	3,656	c/	867	c/	3,760	c/	900
335931A036	Terminal blocks	18		109,668		136,389	a/r/	127,599	b/	134,527
335931A038	Lightning arrestors for alternating current									
	power transmission systems and sub- stations; U.S. designation, station and intermediate, I.E.C. designation 10 kA	-		(70)		rr 000		(V)	- / /	40.050
335931A041	and 5 kA Series ALightning arrestors for alternating current	5		(X)		55,923		(X)	a/r/	49,253
oodoo iii o	power distribution systems and sub- stations; U.S. designation distribution and secondary I.E.C. designation 5 kA									
	Series B, 2.5 kA and 1.5 kA	5		(X)		131,229		(X)	r/	137,377
335931A042	Surge suppressors, designed for equipment	12		(V)	b /	116,162		(v)	0/	130.903
335931A044	operating on 110/120 volt circuits Lightning rods	11		(X) (X)	D/	48,225		(X) (X)	c/ a/	54,110
335931A046	Electric harnesses and assemblies,			(-2)		10,220		(-2)	•	0 1,1 10
	excluding engine harnesses (from									
0070014040	purchased wire)	16		(X)		221,762		(X)	r/	187,745
335931A048	All other wiring devices with integral ground fault circuit interrupting									
	capabilities, excluding circuit breakers 10/	3		(D)		(D)		(D)		(D)
335931A051	Miscellaneous, including combination			` ,		` ,				. ,
	devices, adapters, current taps, surface									
	extensions, rosettes, choke coils, rail bonds, and overhead trolley line									
	materials 10/	35		(X)		273,769		(X)	a/r/	279,310
335932	Noncurrent-carrying wiring devices	(X)		(X)		4,671,617		(X)		4,659,719
3359321	Pole and transmission line hardware	37		(X)		940,155		(X)	a/r/	957,699
3359321002	Pole and transmission line construction materials, also known as overhead and underground line hardware for electric transmission, distribution, and									
	communication lines	28		(X)		749,691		(X)	a/	786,977
3359321004	Pole and transmission line anchors	4		(X)	b/	19,083		(X)		19,889
3359321006	All other pole and transmission line	10		(37)		171 001		(W)		170 000
	hardware	12		(X)		171,381		(X)		150,833
3359323 3359323101	Electrical conduit and conduit fittings	66		(X) 265,011		2,308,371		(X)	a/r/	2,305,749
3359323106	nipples, bends, and elbows Nonmetallic conduit (1,000 pounds)	11 13		717,470		260,976 406,749		260,321 802,809		255,658 330,696
3359323108	Electrical metallic (short tons)	8		509,911		424,264		486,506		399,229
3359323111	Flexible steel and aluminum conduit									
2250222112	(1,000 feet)	7		826,226		234,542	b/r/	731,405	b/r/	212,701
3359323112	Flexible nonmetallic conduit (1,000 pounds)	9		121,678		53,198	a/r/	141,108		49,272
3359323114	Raceways and wire ways, including	Ü		,5.0		55,100	/	_ 11,100		20,200
	fittings, metal			(X)		190,657		(X)		203,982
3359323116	Ventilated cable tray and accessories	5		(X)		58,752		(X)	b/	60,070
3359323118	Cast conduit bodies, covers, and gaskets	6		(X)		64,255		(X)	a/r/	83,714
	Rigid conduit fittings, including couplings, nipples, bends, and elbows:	-		()		, 0		()		,
3359323221	Couplings, connectors, and unions	16		(X)		95,102		(X)	b/	131,466
3359323222	Locknuts and bushings	7		(X)		28,687		(X)	a/	33,751

Table 2. Quantity and Value of Shipments of Wiring Devices and Supplies: 2000 and 1999 [Quantity in thousands of units. Value in thousands of dollars]

Product	Product description	No. of		2000				199	9
code		cos.	Quantity		Value		Quantity		Value
3359323224	All other rigid conduit fittings	6	(X)		30,481		(X)	b /	55,350
3359323226	Nonmetallic conduit fittings EMT fittings (couplings and connectors):	13	(X)		80,066		(X)		74,879
3359323228	Gland type	6	(X)		29,508		(X)	b/r/	34,799
3359323231	Set-screw type	5	(X)	a/	34,266		(X)	a/	35,264
3359323232	All others	7	(X)		12,117		(X)	a/	15,872
3359323234	Service entrance caps, ells, and								
	connectors	8	(X)		9,722		(X)		10,709
	Cable, cord, and flexible conduit fittings:								
3359323236	Armored cable, metallic sheathed cable,								
	and flexible conduit fittings	13	(X)		162,254		(X)	a/	171,860
3359323238	Liquid-tight flexible conduit fittings	11	(X)		77,160		(X)		79,840
3359323241	Nonmetallic sheathed cable and cord								
	fittings	11	(X)	a/	18,584		(X)	b /	24,329
3359323242	Other electric conduit fittings	12	(X)		37,031		(X)	a/r/	42,308
3359325	Other noncurrent-carrying wiring devices								
	and supplies	59	(X)		1,423,091		(X)	r/	1,396,271
	Stamped metal boxes, covers, and accessories, including stamped								
	conduit boxes:								
3359325102	Switch and receptacle boxes	11	(X)		478,062		(X)		426,905
3359325204	Outlet boxes	8	(X)		141,514		(X)		142,996
3359325206	Covers	11	(X)		47,644		(X)		45,724
3359325208	Supports, bar hangers, and other								
	accessories	13	(X)		68,019		(X)		66,253
	Cast metal boxes, covers, gaskets, and								
	accessories:								
3359325311	FS and FD switch and receptacle type	7	(X)		16,982		(X)	r/	41,878
3359325312	Outlet type	7	(X)		46,394		(X)		40,679
3359325314	Junction type	12	(X)		29,022		(X)	r/	30,812
	Switch, outlet, FM/TV, and telephone wall plates:								
3359325316	Metallic	8	52,369		26,960		48,455		25,226
3359325318	Nonmetallic	9	385,239		84,231	r/	341,041		73,831
3359325321	Plastic boxes and covers	16	(X)		162,625		(X)	r/	177,990
3359325322	Floor boxes and covers	7	(X)		48,869		(X)		43,429
3359325324	Other noncurrent-carrying wiring devices								
	and supplies	27	(X)		272,769		(X)	r/	280,548

D Withheld to avoid disclosing data for individual companies. n.e.c. Not elsewhere classified. r/Revised by 5 percent or more from previously published data. S Does not meet publication standsards. X Not applicable.

- 1/Product code 3359311002 is combined with product code 3359311012 to avoid disclosing data for individual companies.
- 2/Product codes 3359311016 and 3359311018 are combined with product code 3359311021 to avoid disclosing data for individual companies.
 - 3/Product code 3359313004 is combined with product code 3359313016 to avoid disclosing data for individual companies.
 - 4/Product code 3359313006 is combined with product code 3359313008 to avoid disclosing data for individual companies.
 - 5/Product code 3359315108 is combined with product code 3359315111 to avoid disclosing data for individual companies.
 - 6/Product code 3359315616 is combined with product code 3359315321 to avoid disclosing data for individual companies.
- 7/Product codes 3359319011 and 3359319012 are combined with product code 3359319014 to avoid disclosing data for individual companies.
 - 8/Product code 335931A007 is combined with product code 335931A012 to avoid disclosing data for individual companies.
 - 9/Product code 335931A026 is combined with product code 335931A032 to avoid disclosing data for individual companies.
 - 10/Product code 335931A048 is combined with product code 335931A051 to avoid disclosing data for individual companies.

Note: Percent of estimation of each item is indicated as follows: a/10 to 25 percent of this item is estimated. b/26 to 50 percent of this item is estimated.

Table 3. Value of Shipments, Exports, and Imports of Selected Wiring Devices: 2000 and 1999 [Millions of dollars]

Product description 2000	Manufacturers' shipments f.o.b. plant 1/	Exports of domestic merchandise at port 1/2/	Imports for consumption 1/3/
Lampholders Metal contacts	152.0	28.8	73.9
	238.0	177.8	96.1
1999			
Lampholders Metal contacts	159.0	32.2	70.4
	236.0	141.9	73.0

^{1/}For comparison of the North American Industry Classification System-based product codes with Schedule B export numbers and HTSUSA import numbers, see Table 4.

^{2/}Source: Census Bureau report EM 545, U.S. Exports.

^{3/}Source: Census Bureau report IM 145, U.S. Imports for Consumption.

Table 4. Comparison of the North American Industry Classification System-Based Product Codes with Schedule B Export Numbers and HTSUSA Import Numbers: 2000

Product code	Production description	Export number 1/	Import number 2/
0040		114111101 17	
3359311	Lampholders	8536.61.0000	8536.61.0000
3359317	Metal contacts	8538.90.7040	8538.90.8040
3359315102	Switches, other than dimmers	8535.30.0040	8535.30.0040
3359315102	Switches, other than diffiners		
3359315104		8536.50.9065	8536.50.9025 8536.50.9035
3359315108			8536.50.9055 8536.50.9050
3359315108			8536.50.9055
3359315111			*8536.50.9065
3359315312			8330.30.9003
3359315616			
3359315010			
3359315218			
3333313321			
3359315422	Dimmer switches	*8533.39.0040	*8533.39.0040
3359315424		8536.50.9040	
3359315426			
3359319	Wire connectors	8536.69.5050	*8536.69.8000
3359323	Conduit fittings	*8547.20.0000	8547.20.0000
		8547.90.0010	8547.90.0010
		*8547.90.0020	*8547.90.0020
		*8547.90.0030	*8547.90.0030
		*8547.90.0040	*8547.90.0040

^{*} This code is partially correlated with the products described.

 $1/Source:\ Harmonized\ System-Based\ Schedule\ B,\ Statistical\ Classification\ of\ Domestic\ and\ Foreign\ Commodities\ Exported\ for\ the\ United\ States.$

2/Source: Harmonized Tariff Schedule of the United States, Annotated.