MA335K(03)-1

Current Industrial Reports

Current data are released electronically on Internet for all individual surveys as they become available. Use: http://www.census.gov/mcd/. Individual reports can be accessed by choosing "Current Industrial Reports (CIR)," clicking on "CIRs by Subsector;" then choose the survey of interest. Follow the menu to view the PDF file or to download the worksheet file (WK format) to your personal computer.

These data are also available on Internet through the U.S. Department of Commerce and STAT-USA by subscription. The Internet address is: www.stat-usa.gov/. Follow the prompts to register. Also, you may call 202-482-1986 or 1-800-STAT-USA, for further information.

SUMMARY OF FINDINGS

During 2003, manufacturers' shipments of wiring devices and supplies totaled \$8.3 billion, a decrease of 6 percent from \$8.8 billion in 2002. Current-carrying wiring devices accounted for \$4.5 billion, a decrease of 6 percent from \$4.8 billion in 2002, while the noncurrent-

carrying wiring devices accounted for \$3.8 billion, a decrease of 6 percent under 2002. The 2003 shipments included lampholders, valued at \$103 million, down 11 percent from \$116 million in 2002; convenience and power outlets, valued at \$381 million, an increase of 3 percent from \$370 million in 2002; switches, valued at \$1.4 billion, down 10 percent from \$1.5 billion in 2002: metal contacts valued at \$174 million. a decreased 3 percent from \$180 million in 2002; wire connectors, valued at \$1.2 billion, remained relatively unchanged from \$1.2 billion in 2002; other current-carrying wiring devices valued at \$1.3 billion, down 8 percent from \$1.4 billion in 2002; pole line and transmission hardward, valued at \$699 million, down from \$717 million 2002; electrical conduit and conduit fittings, valued at \$1.7 billion, down from \$1.9 billion in 2002; and other noncurrent-carrying devices, valued at \$1.4 billion, remained the same as in 2002.

For general CIR information, explanation of general terms and historical note, see the appendix.

Address inquiries concerning these data to Investment Goods Industries Branch, Manufacturing and Construction Division (MCD), Washington, DC 20233-6900, or call Vance Davis. 301-763-4790.

For mail or fax copies of this publication, please contact the Information Services Center, MCD, Washington, DC 20233-6900, or call 301-763-4673.

USCENSUSBUREAU

Helping You Make Informed Decisions

U.S. Department of Commerce Economics and Statistics Administration U.S. CENSUS BUREAU

Table 1. Value of Shipments of Wiring Devices and Supplies by Class of Product: 1994 to 2003 [Millions of dollars]

Product code	Product description	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994
code	rroduct description	2005	2002	2001	2000	1333	1550	1331	1330	1333	1331
335931	Current-carrying wiring devices	4,517	4,808	5,197	5,585	5,396	5,448	5,300	4,836	4,772	4,422
3359311	Lampholders	103	116	155	156	159	194	194	193	201	211
3359313	Convenience and power outlets,										
	both general and special-purpose,										
	excluding pin and sleeve type	381	370	370	409	415	461	436	375	364	341
3359315	Switches for electrical circuitry	,	1,515	1,635	1,869	1,752	1,840	1,775	1,612	1,623	1,526
3359317	Metal contacts precious and other	174	180	184	246	236	226	214	239	259	245
3359319	Wire connectors for electrical										
	circuitry	1,186	1,200	1,403	1,546	1,517	1,450	1,462	1,235	1,194	1,082
335931A	Other current-carrying wiring										
	devices, including attachment										
	plug caps, connector bodies,										
	lightning arrestors, and pin and sleeve convenience										
		1,311	1,427	1.450	1,359	1,317	1,277	1,219	1,182	1,130	1,018
335932	power outlets Noncurrent-carrying wiring devices	3,750	4,021	1,450 4,552	5,004	4,660	4,463	4,424	3,938	3,915	3,622
3359321	Pole line and transmission hardware	699	717	778	939	958	852	856	704	673	641
3359321	Electrical conduit and conduit	033	/1/	770	333	330	032	030	704	073	041
3333323	fittings	1,662	1,915	2,079	2,308	2,306	2,126	2,184	1,960	2,050	1,866
3359325	Other noncurrent-carrying wiring	1,002	1,515	_,073	2,300	_,500	_,120	_,101	1,500	_,050	1,000
2223023	devices and supplies	1.389	1,389	1,695	1,757	1,396	1,485	1,384	1,274	1,192	1,116
	* *	,	,	,	,	,	,	, -	,	, -	,

Table 2. Quantity and Value of Shipments of Wiring Devices and Supplies: 2003 and 2002 [Quantity in thousands of units. Value in thousands of dollars]

Product	Product description	No. of		2003		2002				
code		cos.		Quantity		Value		Quantity		Value
335931 3359311 3359311102	Wiring devices and supplies	(X) (X) 16		(X) (X) 282,569		8,268,020 4,517,585 102,623		(X) (X) 303,709	r/	8,828,721 4,807,700 116,490
333311102	materials, threaded, medium base only; excluding outlet box type and socket interiors 1/	3		(D)		(D)		(D)		(D)
3359311104	Outlet box, threaded, medium base only, pull and keyless types	3		14,197		14,822	a/	14,526		15,442
3359311106	Weatherproof, threaded, medium base only 2/	3		(D)		(D)		(D)		(D)
3359311108 3359311111	Candelabra base, all types 2/Sign and fixture, medium base			(D)		(D)		(D)		(D)
3359311112	only 2/	3		13,435		9,354	r/	15,409	r/	11,006
	interiors sold separately, all bases 1/ Fluorescent:	8		55,122		38,535		71,133	r/	48,831
3359311114 3359311116	Bi-pinSlimline 3/	5 3		163,683 (D)		21,724 (D)		166,273 (D)		21,920 (D)
3359311118 3359311121	Recessed double contact 3/All other fluorescent, including but not limited to circlene, panelescent and	5		(D)		(D)		(D)		(D)
3359311122	and starter holders 3/All other lampholders,including cold cathode neon and bases for quartz lamps quartz	5		(D)		(D)		(D)		(D)
	lamps 3/	3		36,132		18,188		36,368	r/	19,291
3359313	Convenience and power outlets, both general and special purpose, excluding pin and sleeve type	8	a/	231,563		380,989	a/	227,450		369,889
3359313102	Receptacles with GFIC (all types, all amperages) 4/	2	,	(D)		(D)	,	(D)		(D)
3359313104	Receptacles without GFIC: 2-pole, 2-wire (flush, all types) 4/	3		(D)		(D)		(D)		(D)
3359313106	2-pole, 3-wire and up (flush): Locking, 15 amperes and under 5/ Locking, 20 amperes and over 5/	2	2/	(D) 93,448		(D)	2/	(D)		(D)
3359313108 3359313111	Nonlocking, 15 amperes and under	5	a/ a/	71,124		77,401 55,500	a/ b/	82,118 75,197		66,247 57,255
3359313112 3359313114	Nonlocking, 20 amperes and over		a/	34,453		54,298	a/	35,929		60,035
3359313116	amperages, all types 4/All other types, including dust and explosion proof, surface and 2-pole/	3		(D)		(D)		(D)		(D)
	2-wire 4/	5		32,538		193,790	b/r/	34,206		186,352
3359315	Switches for electrical circuitry	52	a/	602,380		1,362,404	a/r/	726,398		1,514,999
3359315102 3359315104 3359315106	Ac (except mercury): Single pole, 15 amperes and under 6/ Single pole, over 15 amperes 6/ Other than single pole, including but	5 4		93,401 (D)		95,847 (D)	a/ a/	90,172 11,067	a/	70,469 25,385
3359315108	not limited to double pole 3-way, 4-way Ac-dc (except mercury) 7/	5 2		40,934 (D)		72,978 (D)	a/	43,870 (D)		78,700 (D)
3359315111	All other general use switches, including surface mounted, mercury, etc. 7/		c/	48,355		19,464	c/r/	63,280	r/	29,910
3359315312	Special-purpose switches: Appliance and fixture, including pendant and canopy types and variable speed controls	10	a/	25,803	b/	59,465	a/r/	36,419	r/	77,874

Continued 1

Table 2. Quantity and Value of Shipments of Wiring Devices and Supplies: 2003 and 2002 [Quantity in thousands of units. Value in thousands of dollars]

,	•	No.	2003		2002					
Product	Product description	of		2	2003	,			-002	
code		cos.		Quantity		Value		Quantity		Value
3359315314	Precision (1/8-inch gap or less) snap-acting	_								
3359315616	switches, excluding limit switches Aircraft types 8/	6 8		62,745 (D)		68,073 (D)		81,282 (D)		63,054 (D)
3359315010	Automotive types		a/	200,518		537,108	r/	271,940	r/	643,480
3359315321	All other special-purpose switches, including									
	foot actuated, light sensing and signal actuated 8/	21		115,216		315,035		116,628		317,428
	Dimmers:	21		113,210		313,033		110,028		317,426
	Incandescent:									
3359315422 3359315424	Infinitely variable, 600 watts or less 9/ Infinitely variable, over 600 watts 9/	4 5		(D) (D)		(D) (D)	c/	8,815 643	2/	108,082 27,099
3359315426	All other types, including but not limited to	J		(D)		(D)	۲,	043	α,	27,033
	portable lamps and high-low switches 9/	5		15,408		194,434		2,282		73,518
3359317	Metal contacts, precious and other	15		(S)		174,483		(S)		180,210
	•			(-)		,		(-/		,
3359319	Wire connectors, including connectors used under national electrical application	50		29,566,615		1,185,934	r/	30,122,023		1,199,604
3359319102	Pressure connectors, where pressure is	30		29,300,013		1,105,954	1/	30,122,023		1,199,004
	applied by screw, cone, or mechanical									
3359319104	device Compression connectors, uninsulated	18	b/	530,282		144,226	a/	523,127		149,048
3339319104	terminals and splicers, tool installed	20		3,155,919		179,353		3,618,320		183,924
3359319106	Preinsulated terminals and splicers, tool									
3359319108	installedBanded or strip terminals and splicers,	14		589,523		111,516		773,808		108,805
	machine installed	7		1,500,180		47,463		1,804,104		51,237
3359319111	Pigtail connectors, including wire nuts 10/	8		(D)		(D)		(D)		(D)
3359319112	Blade or pin type, separable terminations and splicers 10/	8		(D)		(D)		(D)		(D)
3359319114	Other wire connectors, n.e.c., including			, ,				, ,		` ,
	solder type 10/	24		23,790,711		703,376	c/r/	23,402,664		706,590
335931A	Other current-carrying wiring devices,									
	including attachment plug caps, connector bodies, lightening arrestors, pin and sleeve									
	convenience power outlets, etc.	80		(X)		1,311,152		(X)		1,426,508
	Attachment plug caps and flanged outlets,									
	including motor bases, all types; including fused, fuseless, switch, and switchless:									
335931A102	2-pole, 2-wire, all types, general use									
	use locking and nonlocking, all	6	- /	12.054		6.700	- /	16.042		0.160
	amperages2-pole, 3-wire and up:	6	a/	13,054		6,780	a/	16,843		9,160
335931A104	Locking, all amperes	6	a/	762		3,511	b/	850		3,590
335931A106	Locking, 20 amperes and over		c/	3,673		21,241	c/	3,407		19,208
335931A107 335931A112	Nonlocking, all amperes 11/	10		(D)		(D)		(D)		(D)
	including dust and explosion proof,									
	appliance and other special application 11/	1	c/	65,037		123,335	c/r/	62,345	r/	118,102
	Connector bodies and flanged outlets, all	4	C/	03,037		123,333	C/1/	02,343	1/	116,102
	types:			(-)				<i>(</i> =)		<i>(</i> =)
335931A114	2-pole, 2-wire, all types, all amperages 2-pole, 3-wire and up:	4		(D)		(D)		(D)		(D)
335931A116	Locking, 15 amperes and under	7	a/	3,476		29,488	a/	3,204		26,700
335931A118	Locking, 20 amperes and over	8		1,142		15,774	,	1,027		14,574
335931A119 335931A124	Nonlocking, all amperesAll other types, except pin and sleeve,	7		4,756		20,815	a/	5,558		20,876
555551A124	including dust and explosion proof,									
	appliance, and other special application	6	c/	(D)		(D)		(D)		(D)
	Pin and sleeve convenience and power outlets, attachment plug caps and									
	connector bodies:									
	Pin and sleeve, general-purpose (120									
335931A126	volts and over, 20 amperes and over): Convenience and power outlets 12/	7		(D)		(D)		(D)		(D)
335931A128	Attachment plug caps	6		37		4,702		80		9,093
335931A131	Connector bodies	6		(D)		(D)		(D)		(D)

Continued 2

Table 2. Quantity and Value of Shipments of Wiring Devices and Supplies: 2003 and 2002 [Quantity in thousands of units. Value in thousands of dollars]

,										
	5 1 . 1	No.		2003				2002		
Product code	Product description	of cos.		Quantity		Value		Quantity		Value
2250214120										
335931A132	All other pin and sleeve, including dust and explosion proof 20 amperes types,									
	etc. 12/	4		11,949		76,719		25,356	r/	105,933
335931A134	Fluorescent starters	3		(D)		, ,	b/r/	1,680	r/	484
335931A136	Terminal blocks	17		407,220		381,459		462,378		385,512
335931A138	Lightning arrestors for alternating current power transmission systems and sub-									
	stations; U.S. designation, station and									
	intermediate, I.E.C. designation 10ka and									
335931A141	and 5ka Series A	4		(X)		27,966		(X)		31,943
333931A141	Lightning arrestors for alternating current power distribution systems and sub-									
	stations; U.S. designation distribution									
	and secondary I.E.C. designation 5ka			(37)		105.050		(37)		110 507
335931A144	Series B, 2.5ka and 1.5kaSurge suppressors, designed for equipment	4		(X)		105,052		(X)		112,587
333331A144	operating on 110/120 volt circuits	14		(X)	a/	85,229		(X)	b/	100,702
335931A146	Electric harnesses and assemblies,									
	excluding engine harnesses (from	17		(V)		119,402		(V)		156,610
335931A148	purchased wire)	17		(X)		119,402		(X)		130,010
333331111	ground fault circuit interrupting									
2252211151	capabilities, excluding circuit breakers 13/	3		(X)		(D)		(X)		(D)
335931A151	Miscellaneous, including combination devices, adapters, current taps, surface									
	surface extensions, rosettes, choke coils,									
	rail bonds, and overhead trolley line									
	materials 13/	24		(X)		289,679		(X)		311,434
335932	Noncurrent-carrying wiring devices	(X)		(X)		3,750,435		(X)		4,021,021
3359321	Pole and transmission line hardware	24		(X)		698,571		(X)		717,005
3359321102	Pole and transmission line construction									
	materials, also known as overhead and underground line hardware for electric									
	transmission, distribution, and									
2250221104	communication lines			(X)	a/	524,152		(X)	r/	551,931
3359321104 3359321106	Pole and transmission line anchors 14/ All other pole and transmission line	4		(X)		(D)		(X)		(D)
3333321100	hardware 14/	9		(X)		174,419		(X)	r/	165,074
2250222		4.1		(37)		1 660 207		(37)		1 01 4 02 4
3359323 3359323101	Electrical conduit and conduit fittings Rigid metal conduit, excluding couplings,	41		(X)		1,662,397		(X)		1,914,934
3333323101	nipples, bends, and elbows:	6		216,531		206,687		239,194		231,296
3359323106	Nonmetallic conduit (1,000 lbs)	6		568,354		257,713		708,709		291,271
3359323108	Electrical metallic (short tons)	5		444,197		370,257		465,047		416,188
3359323111	Flexible steel and aluminum conduit (1,000 feet)	3	b/	209,215		70,941	a/	194,938		67,118
3359323112	Flexible nonmetallic conduit (1,000		,			,	,			0,,0
2250222114	pounds)	7	a/	109,790		47,033		205,415		83,891
3359323114	Raceways and wire ways, including fittings, metal	8		(X)		111,872		(X)		121,050
3359323116	Ventilated cable tray and accessories	5		(X)		41,575		(X)		54,417
3359323118	Cast conduit bodies, covers, and									
	gaskets 15/	6		(X)		(D)		(X)		(D)
	Rigid conduit fittings, including couplings, nipples, bends, and elbows:									
3359323221	Couplings, connectors, and unions 15/	11		(X)		101,783		(X)	r/	123,474
3359323222	Locknuts and bushings	7		(X)		21,784		(X)		22,751
3359323224 3359323226	All other rigid conduit fittings Nonmetallic conduit fittings			(X) (X)		49,991 94,361		(X) (X)		47,553 133,353
2000020220	EMT fittings (couplings and connectors):	•		(11)		5 1,501		(21)		100,000
3359323228	Gland type			(X)		19,389		(X)		18,840
3359323231 3359323232	Set-screw type All others	5 6		(X) (X)	a /	21,442 6,340		(X) (X)		21,657 8,711
3359323234	Service entrance caps, ells, and	U		(Λ)	α/	0,340		(Λ)		0,711
	connectors	6		(X)		3,956		(X)		6,952
2250222226	Cable, cord, and flexible conduit fittings:									
3359323236	Armored cable, metallic sheathed cable, and flexible conduit fittings	10		(X)		107,291		(X)	a/	137,054
	,	- •		()		, .		(-1)	,	,

Continued 3

Table 2. Quantity and Value of Shipments of Wiring Devices and Supplies: 2003 and 2002 [Quantity in thousands of units. Value in thousands of dollars]

Product	Product description	No. of	2003		2002		
code	Froduct description	cos.	Quantity	Value	Quantity		Value
3359323238 3359323241	Liquid-tight flexible conduit fittings Nonmetallic sheathed cable and cord	8	(X)	74,234	(X)		77,049
3333323211	fittings	8	(X)	14,186	(X)		12,638
3359323242	Other electric conduit fittings	9	(X)	41,562	(X)		39,671
3359325	Other noncurrent-carrying wiring devices and supplies	49	(X)	1,389,467	(X)	r/	1,389,082
3359325102	Switch and receptacle boxes 16/	11	(X)	(D)	(X)	r/	338,489
3359325204	Outlet boxes	4	(X)	143,312	(X)	,	136,963
3359325206	Covers	7	(X)	43,919	(X)		37,935
3359325208	Supports, bar hangers, and other accessories 16/	8	(X)	465,956	(X)	a/	60,139
3359325311	FS and FD switch and receptacle type	6	(X)	14,949	(X)		15,285
3359325312	Outlet type 17/	5	(X)	(D)	(X)		42,449
3359325314	Junction type 17/ Switch, outlet, FM/TV, and telephone wall plates:	12	(X)	53,844	(X)	r/	33,486
3359325316	Metallic	7	40.210	25.834	49.969		27.657
3359325318	Nonmetallic	7	390,916	82,888	a/ 449,101		99,650
3359325321	Plastic boxes and covers	14	(X)	213,369		r/	236,101
3359325322 3359325324	Floor boxes and coversOther noncurrent-carrying wiring devices	7	(X)	46,970	(X)	,	38,213
	and supplies	24	(X)	298,426	(X)	r/	322,715

D Data withheld to avoid disclosing data for individual companies. n.e.c. Not elsewhere classified. r/Revised by 5 percent or more from previously published data. S Data does not meet publication standards. X Not applicable.

1/Product code 3359311102 is combined with product code 3359311112 to avoid disclosing data for individual companies. 2/Product codes 3359311106 and 3359311108 are combined with product code 3359311111 to avoid disclosing data for individual companies.

3/Product codes 3359311116, 33593111118, and 3359311121 are combined with product code 3359311122 to avoid disclosing data for individual companies.

4/Product codes 3359313102, 3359313104, and 3359313114 are combined with product code 3359313116 to avoid disclosing data for individual companies.

5/Product code 3359313106 is combined with product code 3359313108 to avoid disclosing data for individual companies.

6/For 2003, product codes 3359315102 and 3359315104 are combined to avoid disclosing data for individual companies. 7/Product code 3359315108 is combined with product code 3359315111 to avoid disclosing data for individual companies.

8/Product code 3359315616 is combined with product code 3359315111 to avoid disclosing data for individual companies.

9/For 2003, product codes 3359315422 and 3359315424 are combined with product code 33593195426 to avoid disclosing data for individual companies.

10/Product codes 3359319111 and 3359319112 are combined with product code 3359319114 to avoid disclosing data for individual companies.

11/Product code 335931A107 is combined with product code 335931A112 to avoid disclosing data for individual companies. 12/Product code 335931A126 is combined with product code 335931A132 to avoid disclosing data for individual companies.

13/Value of shipments for product code 335931A148 is combined with product code 335931A151 to avoid disclosing data for individual companies.

14/Value of shipments for product code 3359321104 is combined with product code 3359321106 to avoid disclosing data for individual companies.

15/Value of shipments for product code 3359323118 is combined with product code 3359323221 to avoid disclosing data for individual companies.

16/For 2003, value of shipments for product code 3359325102 is combined with product code 3359325208 to avoid disclosing data for individual companies.

17/For 2003, product code 3359325312 is combined with product code 3359325314 to avoid disclosing data for individual companies.

Note: Percent of estimation of each item is indicated as follows: a/10 to 25 percent of this item is estimated. b/25 to 50 percent of this item is estimated. c/Over 50 percent of this item is estimated.

Table 3. Value of Shipments, Exports, and Imports of Selected Wiring Devices: 2003 and 2002 [Millions of dollars]

Product description 2003	Manufacturers' shipments f.o.b. plant 1/	Exports of domestic merchandise at port 1/2/	Imports for consumption 1/3/
Lampholders Metal contacts	102.6	38.2	65.9
	174.5	139.0	72.3
2002			
LampholdersMetal contacts	116.5	33.7	63.8
	180.2	142.6	72.2

^{1/}For comparison of the North American Industry Classification System (NAICS)-based product codes with Schedule B export codes and HTSUSA import codes, see Table 4.

^{2/}Source: Census Bureau report EM 545, U.S. Exports.

^{3/}Source: Census Bureau report IM 145, U.S. Imports for Consumption.

Table 4. Comparison of the North American Industry Classification System (NAICS)-Based Product Codes with Schedule B Export Codes and HTSUSA Import Codes: 2003

Product code	Production description	Export code 1/	Import code 2/
3359311	Lampholders	8536.61.0000	8536.61.0000
3359317	Metal contacts	8538.90.7040	8538.90.8040
3359315102, 104, 106, 108, 111, 218, 312, 314, 321, 616	Switches, other than dimmers	8535.30.0040 8536.50.9065	8535.30.0040 8536.50.9025 8536.50.9035 8536.50.9050 8536.50.9055 *8536.50.9065
3359315422, 424, 426	Dimmer switches	*8533.39.0040 8536.50.9040	*8533.39.0040
3359319	Wire connectors	8536.69.5050	*8536.69.8000
3359323	Conduit fittings	*8547.20.0000 8547.90.0010 *8547.90.0020 *8547.90.0030 *8547.90.0040	8547.20.0000 8547.90.0010 *8547.90.0020 *8547.90.0030 *8547.90.0040

^{*}This code is partially correlated with the products described.

1/Source: Harmonized System-Based Schedule B, Statistical Classification of Domestic and Foreign Commodities Exported for the United States.

2/Source: Harmonized Tariff Schedule of the United States, Annotated (2003).

Appendix.

General CIR Survey Information, Explanation of General Terms and Historical Note

GENERAL

The CIR program has been providing monthly, quarterly, and annual measures of industrial activity for many years. Since 1904, with its cotton and fats and oils surveys, the CIR program has formed an essential part of an integrated statistical system involving the quinquennial economic census, manufacturing sector, and the annual survey of manufactures. The CIR surveys, however, provide current statistics at a more detailed product level than either of the other two statistical programs.

The primary objective of the CIR program is to produce timely, accurate data on production and shipments of selected products. The data are used to satisfy economic policy needs and for market analysis, forecasting, and decision making in the private sector. The product-level data generated by these surveys are used extensively by individual firms, trade associations, and market analysts in planning or recommending marketing and legislative strategies, particularly if their industry is significantly affected by foreign trade. Although production and shipments information are the two most common data items collected, the CIR program collects other measures also such as inventories, orders, and consumption. These surveys measure manufacturing activity in important commodity areas such as textiles and apparel, chemicals, primary metals, computer and electronic components, industrial equipment, aerospace equipment, and consumer goods.

The CIR program uses a unified data collection, processing, and publication system. The U.S. Census Bureau updates the survey panels for most reports annually and reconciles the estimates to the results of the broader-based annual survey of manufactures and the economic census, manufacturing sector. The manufacturing sector provides a complete list of all producers of the products covered by the CIR program and serves as the primary source for CIR sampling. Where a small number of producers exist, CIR surveys cover all known producers of a product. However, when the number of producers is too large, cutoff and random sampling techniques are used. Surveys are continually reviewed and modified to provide the most up-to-date information on products produced. The CIR program includes a group of mandatory and voluntary surveys. Typically the monthly and quarterly surveys are conducted on a voluntary basis. Those companies that choose not to respond to the voluntary surveys are required to submit a mandatory annual counterpart corresponding to the more frequent survey.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM (NAICS), 1997

The adoption of the North American Industry Classification System (NAICS) in the 1997 Economic Census has had a major impact on the comparability of current and historic data. Approximately half of the industries in the manufacturing sector of NAICS do not have comparable industries in the Standard Industrial Classification (SIC) system that was used in the past.

While most of the change affecting the manufacturing sector was change within the sector, some industries left manufacturing and others came into manufacturing. Prominent among those that left manufacturing are logging and portions of publishing. Prominent among the industries that came into the manufacturing sector are bakeries, candy stores where candy is made on the premises, custom tailors, makers of custom draperies, and tire retreading. The net effect of the classification changes are such that if the 1997 value of shipments data for all manufacturers were tabulated on an SIC basis, it would be approximately 3 percent higher.

Listed below are the NAICS sectors:

- 21 Mining
- 22 Utilities
- 23 Construction
- 31-33 Manufacturing
- 42 Wholesale Trade
- 44-45 Retail Trade
- 48-49 Transportation and Warehousing
- 51 Information
- 52 Finance and Insurance
- 53 Real Estate and Rental and Leasing
- 54 Professional, Scientific, and Technical Services
- 55 Management of Companies and Enterprises
- 56 Administrative and Support and Waste Management and Remediation Services
- 61 Educational Services
- 62 Health Care and Social Assistance
- 71 Arts, Entertainment, and Recreation
- 72 Accommodation and Foodservices
- 81 Other Services (except Public Administration)

(Not listed above are the Agriculture, Forestry, Fishing, and Hunting sector (NAICS 11), partially covered by the census of agriculture conducted by the U.S. Department of Agriculture, and the Public Administration sector (NAICS 92), covered by the census of governments conducted by the Census Bureau.)

The 20 NAICS sectors are subdivided into 96 subsectors (three-digit codes), 313 industry groups (four-digit codes), and, as implemented in the United States, 1170 industries (five- and six-digit codes).

FUNDING

The Census Bureau funds most of the surveys. However, a number of surveys are paid for either fully or partially by other Federal Government agencies or private trade associations. A few surveys are mandated, but all are authorized by Title 13 of the United States Code.

RELIABILITY OF DATA

Survey error may result from several sources including the inability to obtain information about all cases in the survey, response errors, definitional difficulties, differences in the interpretation of questions, mistakes in recording or coding the reported data, and other errors of collection, response, coverage, and estimation. These nonsampling errors also occur in complete censuses. Although no direct measurement of the biases due to these nonsampling errors has been obtained, precautionary steps were taken in all phases of the collection, processing, and tabulation of the data in an effort to minimize their influence.

A major source of bias in the published estimates is the imputing of data for nonrespondents, for late reporters, and for data that fail logic edits. Missing figures are imputed based on period-to-period movements shown by reporting firms. A figure is considered to be an impute if the value was not directly reported on the questionnaire, directly derived from other reported items, directly available from supplemental sources, or obtained from the respondent during the analytical review phase. Imputation generally is limited to a maximum of 10 percent for any one data cell. Figures with imputation rates greater than 10 percent are suppressed or footnoted. The imputation rate is not an explicit indicator of the potential error in published figures due to nonresponse, because the actual yearly movements for nonrespondents may or may not closely agree with the imputed movements. The range of difference between the actual and imputed figures is assumed to be small. The degree of uncertainty regarding the accuracy of the published data increases as the percentage of imputation increases. Figures with imputation rates above 10 percent should be used with caution.

DATA REVISIONS

Statistics for previous years may be revised as the result of corrected figures from respondents, late reports for which imputations were originally made, or other corrections. Data that have been revised by more than 5percent from previously published data are indicated by footnotes.

DISCLOSURE

The Census Bureau collects the CIR data under the authority of Title 13, United States Code, which specifies that the information can only be used for statistical purposes and cannot be published or released in any manner that would identify a person, household, or establishment. "D" indicates that data in the cell have been suppressed to avoid disclosure of information pertaining to individual companies.

EXPLANATION OF GENERAL TERMS

Capacity. The maximum quantity of a product that can be produced in a plant in 1 day if operating for 24 hours. Includes the capacity of idle plants until the plant is reported to be destroyed, dismantled, or abandoned.

Consumption. Materials used in producing or processing a product or otherwise removing the product from the inventory.

Exports. Includes all types of products shipped to foreign countries, or to agents or exporters for reshipment to foreign countries.

Gross shipments. The quantity or value of physical shipments from domestic establishments of all products sold, transferred to other establishments of the same company, or shipped on consignment, whether for domestic or export sale or use. Shipments of products purchased for resale are omitted. Shipments of products made under toll arrangements are included.

Interplant transfers. Shipments to other domestic plants within a company for further assembly, fabrication, or manufacture.

Inventories. The quantity or value of finished goods, work in progress, and materials on hand.

Machinery in place. The number of machines of a particular type in place as of a particular date whether the machinery was used for production, prototype, or sampling, or was idle. Machinery in place includes all machinery set up in operating positions.

Net receipts. Derived by subtracting the materials held at the end of the previous month from the sum of materials used during the current month.

Production. The total volume of products produced, including: products sold; products transferred or added to inventory after adjustments for breakage, shrinkage, and obsolescence, plus any other inventory adjustment; and products that undergo further manufacture at the same establishment.

Quantities produced and consumed. Quantities of each type of product produced by a company for internal consumption within that same company.

Quantity and value of new orders. The sales value of orders received during the current reporting period for products and services to be delivered immediately or at some future date. Also represents the net sales value of contract change documents that increase or decrease the sales value of the orders to which they are related, when the parties concerned are in substantial agreement as to the amount involved. Included as orders are only those that are supported by binding legal documents such as signed contracts or letter contracts.

Quantity and value of shipments. The figures on quantity and value of shipments represent physical shipments of all products sold, transferred to other establishments of the same company, or shipped on consignment, whether for domestic or export sale. The value represents the net sales price, f.o.b. plant, to the customer or branch to which the products are shipped, net of discounts, allowances, freight charges, and

returns. Shipments to a company's own branches are assigned the same value as comparable appropriate allocation of company overhead and profit. Products bought and resold without further manufacture are excluded.

Stocks. Total quantity of ending finished inventory.

Unfilled orders (backlog). Calculated by adding net new orders and subtracting net sales from the backlog at the end of the preceding year.

HISTORICAL NOTE

Data on wiring devices and supplies have been collected by the Census Bureau since 1960. Historical data may be obtained from Current Industrial Reports available at your local Federal Depository Library.